

PRODUCT DATA SHEET

Henko All Weather Synthetic turf Adhesive**R300****Product**

Henko All weather synthetic turf adhesive (R300) is a solvent free 2-component polyurethane system for most types of synthetic turf.

Composition and properties

Base : 2-component polyurethane

A-Component

Colour : green

B-Component

Colour : brown

Mixture

Mixing ratio : A:B = 12,0:1,7

Colour : green

Pot-life : 50-60 minutes

Open time : 80-100 minutes

Total cure time : 24 hours

Storage : frost-free

Solid content : 100% (solvent free)

Usage : dependant on application

- Solvent free
- Excellent ridge formation
- Fast setting
- High strenght
- Environment Friendly
- Fast activation

Packaging

| A component | Productnumber |
|----------------|---------------|
| Bucket 12,0 kg | Henko 632 |
| B component | Productnumber |
| Can 1,7kg | Henko 633 |

Attention

Values are determined at 20°C/65% Rh.

Mixing procedure of components

Both components should be acclimated to working temperature (approx. 20 °C) before use. Add total amount of hardener no. 10 from plastic bottle to bucket containing the resin component.

Mixing of the components: Mix both components thoroughly using an electric drill with stir attachment or electric stirrer with disposable stir attachment until compound has reached an uniform color (stir time: minimum 2 min.).

Make sure that components are well mixed on walls and bottom of bucket. Always mix complete container content in order to ensure proper mixing ratio.

Processing

Apply adhesive with the manual coating machine or notched trowel evenly on the suitable seaming tape. Install floor covering during laying time and rub or press down firmly. Observe pot life of mixed adhesive.

Environmental aspects

Due to the composition of the product, there are no limitations with regard to handling, storage or processing. For more detailed information please refer to our Material Safety Data Sheet.

